



铸就品质
执着于音

ORIGINALITY

QUALITY
CREATES
MUSIC LIFE

音频技术 定制 研发 生产 全方位服务
Sound technology,customization,R&D,production,full service

公司简介

INTRODUCTION

右转智能科技2007年在深圳成立，是一家专注于家庭、酒店智能背景音乐系统产品研发，生产和销售的国家高新技术企业、中国智能背景音乐系统十大品牌领军厂商。智能家居、智能家庭背景音乐多元化声音技术的公司，拥有近百项专利。我们致力提供高品质产品，在声音技术应用、ODM解决方案上有领先地位。

右转在业界有着极高的顾客满意度，我们的产品应用从家庭影院、家庭背景音乐系统、智能家居、智能音响，蓝牙喇叭，吸顶喇叭、户外喇叭，到创新智能家居智慧中控屏，家庭背景音乐主机，酒店客房背景音乐、公共场所的定压广播及数字音频的Dante协议系统都有我们的足迹。

在过去的17年里，右转执着于音，铸就品质，引领行业发展，成为国内多家智能家居、酒店客控品牌厂商认证的优质供货商。我们将不遗余力追求高品质产品，更优质的服务，丰富您的音乐生活，我们在专业领域不断探索，以工匠精神深度钻研，努力寻求技术新突破。为此，我们诚邀各界朋友前来右转实地指导考察，共谋合作，共襄盛举！

Established in Shenzhen in 2007,Right Turn Intelligent Technology is a company specializing in the research and development of smart background music systems for homes and hotels,A national high-tech enterprise engaged in production and sales, and a leading manufacturer of China's top ten intelligent background music systems. Smart Home,SmartA company with diversified sound technology for family background music,with nearly a hundred patents.We are committed to providing high-quality products in sound technologyWe have a leading position in technology applications and ODM solutions.

Right turn has extremely high customer satisfaction in the industry. Our product applications range from home theaters, home background music systems,Smart homes,Smart speakers,Bluetooth speakers,Ceiling speakers,Outdoor speakers, to innovative smart home smart central control screens,Home background music consoles,Hotel room background music,Constant pressure broadcasting in public places, and Dante protocol systems for digital audio.

In the past 17 years, Turning right has been dedicated to sound, Forging quality, leading industry development, and becoming a high -quality supplier certified by multiple domestic smart home and hotel customer control brand manufacturers. We will spare no effort in pursuing high-quality products, better services, and enriching your music life. We continuously explore in our professional field, deeply study with the spirit of craftsmanship, and strive to seek new technological breakthroughs. To this end, we sincerely invite friends from all walks of life to come to the right for on-site guidance and inspection, to work together and contribute to the grand event!



执着于音 追求品质

Professional Quality, The PURSUIT OF EXCELLENCE

音频技术解决方案 AUDIO TECHNOLOGY SOLUTIONS

Youzhuan为客户提供家庭、酒店、高级会所、楼宇、咖啡厅、商场、办公室整体橱柜等音乐系统解决方案，实现语音点歌、APP控制、面板控制。音乐主机与智能背景音乐面板互联互通，实现智能家居音乐场景、联动控制、为您的爱居带来更好的音乐体验，改变您聆听音乐的方式。

Youzhuan provides customers with integrated cabinets for Homes, hotels, High-end clubs, buildings, Cafes, Shopping malls, and offices. Waiting for a music system solution to achieve voice song ordering, app control, and panel control. Music console and intelligent background musicPanel interconnection enables smart home music scenes, linkage control, and brings a better music experience to your beloved home, Change the way you listen to music.

很高兴能为您提供非凡的产品和服务！我们诚挚邀请您体验右转科技新产品和最新音频解决方案，让您的家里因您喜欢的音乐更加充满温馨。右转科技很荣幸能为您将这一切变为现实。



YOUZHUAN is glad to provideremarkeable products and servicesfor you.we invite you to experienceour products and newest audio-visual solutions,To make your homeactive with you favorite music. It is our honor to make it possible.

YZ500音乐主机 (YZ500D 双功放分区)

YZ500 Music host(YZ500D Dual amplifier partition)


- 64位四核处理器,DDR4GB内存,EMMC16GB存储,8寸高清触屏,德州仪器数字功放,4唛语音唤醒隐藏设计,工业级电源。
- 安卓10.0,语音交互,咪咕音乐/QQ音乐,双分区双功放,DLNA/Airplay,TCP/IP,右转APP,晓听乐连APP,米家APP控制,支持智能家居系统对接。
- WIFI,BT,AUX,TF,RJ45,RS485,可扩展。
- 应用于家庭,酒店,专卖店,咖啡厅等场所。
- 64 bit quad core processor,DDR4GB memory,EMMC16GB storage,8-inch high-definition touch screen,Texas Instruments digital amplifier,4-mark voice wake-up hidden design,industrial grade power supply.
- Android 10.0,Voice interaction,Migu Music/QQ Music,Dual partition dual amplifier,DLNA/Airplay,TCP/IP,Right turn app,Xiaoting Lelian app,MiJia app control,Supports smart home system integration.
- WIFI,BT,AUX,TF,RJ45,RS485,Expandable.
- Applied to homes,Hotels,Specialty stores,Cafes, and other places.



技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	30W+30W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	语音/触摸/按键/APP
产品尺寸Product Size	200×122×55mm
底盒规格Back Box Size	185×110×60mm

主控CPU	四核工业级处理器 (运行内存: 2GB)
存储EMMC	16GB
屏幕Screen	8寸电容触屏1280*800
接口Interface	TF/AUX/RS485/SPK/RJ45
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3
语音唤醒距离Voice wake rate	97% (5-10m)



YZ300音乐主机 (YZ300D双功放分区)

YZ300 Music host(YZ300D Dual amplifier partition)

- 64位四核处理器,DDR4GB内存,EMMC16GB存储,7寸高清触屏,德州仪器数字功放,4唛语音唤醒隐藏设计,工业级电源。
- 安卓10.0,语音交互,咪咕音乐/QQ音乐,双分区双功放,DLNA/Airplay,TCP/IP,右转APP,晓听乐连APP,米家APP控制,支持智能家居系统对接。
- WIFI,BT,AUX,TF,RJ45,I/O口,RS485,可扩展。
- 应用于家庭,酒店,专卖店,咖啡厅等场所。
- 64 bit quad core processor,DDR4GB memory,EMMC16GB storage,7-inch high-definition touch screen,Texas Instruments digital amplifier,4-mark voice wake-up hidden design,industrial grade power supply.
- Android 10.0,Voice interaction,Migu Music/QQ Music,Dual partition dual amplifier,DLNA/Airplay,TCP/IP,Right turn app,Xiaoting Lelian app,MiJia app control,Supports smart home system integration.
- WIFI,BT,AUX,TF,RJ45,I/O port,RS485,Expandable.
- Applied to homes,Hotels,Specialty stores,Cafes, and other places.




技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	25W+25W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	语音/触摸/APP
产品尺寸Product Size	178×117×50mm
底盒规格Back Box Size	170×105×60mm

主控CPU	四核工业级处理器 (运行内存: 2GB)
存储EMMC	16GB
屏幕Screen	7寸电容触屏1024*600
接口Interface	TF/AUX/RS485/SPK/RJ45
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3

语音唤醒距离Voice wake rate 97% (5-10m)



YZ150T音乐主机

YZ150T Music host

- 64位四核处理器,DDR4GB内存,EMMC16GB存储,7寸高清触屏,德州仪器数字功放,4唛语音唤醒隐藏设计,工业级电源。
- 安卓10.0,语音交互,咪咕音乐/QQ音乐,双分区双功放,DLNA/Airplay,TCP/IP,右转APP,晓听乐连APP,米家APP控制,支持智能家居系统对接。
- WIFI,BT,AUX,TF,RJ45,I/O口,RS485,音频输入,音频输出,可扩展。
- 应用于家庭,酒店,专卖店,咖啡厅等场所。
- 64 bit quad core processor,DDR4GB memory,EMMC16GB storage,7-inch high-definition touch screen,Texas Instruments digital amplifier,4-mark voice wake-up hidden design,industrial grade power supply.
- Android 10.0,Voice interaction,Migu Music/QQ Music,Dual partition dual amplifier,DLNA/Airplay,TCP/IP,Right turn app,Xiaoting Lelian app,MiJia app control,Supports smart home system integration.
- WIFI,BT,AUX,TF,RJ45,I/O port,RS485,Audio input,Audio output,Expandable.
- Applied to homes,Hotels,Specialty stores,Cafes, and other places.




技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	25W+25W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	语音/触摸/APP
产品尺寸Product Size	178 X 117 X 50mm
底盒规格Back Box Size	170 X 81 X 60mm

主控CPU	四核工业级处理器 (运行内存: 2GB)
存储EMMC	16GB
屏幕Screen	7寸电容触屏1024*600
接口Interface	TF/AUX/RS485/SPK/RJ45 / I/O口
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3
语音唤醒距离Voice wake rate	97% (5-10m)




丰富的功能接口
Rich functional interfaces



7寸高清触屏

7-inch touch screen



雅致金属边框
Elegant metal border



智能家居控制
Smart Home Control



8 : 53
2023/07/20 星期四
19-25°C 太原市 良

像风一样自由

许巍 制作团队

你走吧, 最好别回头

无尽的飘流 自由的渴求

170°全视角
170°Visual wide-angle



近距离
触摸控制
Close range
touch control

中距离
语音控制
Medium range
voice control

远距离
APP控制
Remote APP control
*手机与音乐主机需在同一网络内

YZ200T音乐主机

YZ200 Music host


- ARM工业级芯片，4.3寸电容触屏，德州仪器数字功放，防指纹2.5D弧面玻璃。
- Melis操作系统，支持RS485。
- 标配FM、BT、AUX、TF、I/O干接点信号触发、音频输入输出等。
- 应用于智能家居、酒店客房、专卖店、咖啡厅等高档场所。
- High speed ARM industrial processor, Integrated 4.3 inch capacitive touch screen, TI D class power amplifier.
- Melis system, Support Rs485.
- Support: FM, BT, AUX, TF, I/O dry contact signal input, Audio input and output, Audio input and output etc.
- It has been widely used in family background, hotel background, store background, cafe background, high-end venue background.



技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	20W+20W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	触摸/遥控/按键
产品尺寸Product Size	170 X 85 X 55mm
底盒规格Back Box Size	170 X 80 X 60mm

主控CPU	ARM 处理器
存储EMMC	支持TF卡扩展
屏幕Screen	4.3寸电容触屏480*272
接口Interface	TF/AUX/RS485/SPK/BASS/智能联动
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3



YZ64音乐主机

YZ64 Music host

- 64位四核处理器,DDR2GB内存,EMMC 8GB存储,4寸全面屏,德州仪器数字功放,
- 2唛语音唤醒隐藏设计,工业级电源。
- 安卓10.0系统, 思必驰语音交互, 支持智能家居、在线音乐, 场景音乐、DLNA、Airplay、RS485、TCP/IP协议, 手机APP控制。
- 标配WIFI、BT、AUX、TF。
- 应用于智能家居、酒店客房、专卖店、咖啡厅等高档场所。
- 64 bit quad core processor,DDR2GB memory, EMMC 8GB storage,4-inch full screen,Texas Instruments digital amplifier,2-mark voice wake-up hidden design,industrial grade power supply.
- Android 10.0 system, Spitz Voice Interaction, support smart home, online music, scene music, Dlna, Airplay, RS485, TCP/IP protocol, mobile APP control.
- Standard WIFI, BT, AUX, TF.
- Applied to smart home, hotel rooms, stores, cafes and other high-end places.





技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	15W+15W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	语音/触摸/按键/APP
产品尺寸Product Size	86×86×40mm
底盒规格Back Box Size	标准86底盒

主控CPU	四核工业级处理器 (运行内存: 2GB)
存储EMMC	8GB
屏幕Screen	4.0寸电容触屏480*480
接口Interface	TF/AUX/RS485/SPK
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3

语音唤醒距离Voice wake rate 97% (5-10m)



YZ61音乐主机

YZ61 Music host

- ARM工业级芯片，4.0寸电容触屏，德州仪器数字功放，2唛语音唤醒隐藏设计，工业级电源。
- Linux操作系统，思必驰语音交互，支持RS485、TCP/IP协议。
- 标配WIFI、BT、AUX、TF。
- 应用于智能家居、酒店客房、专卖店、咖啡厅等高档场所。
- ARM industrial grade chip, 4.0-inch capacitive touch screen, Texas Instruments digital power amplifier, 2-mark voice wake-up hidden design, Industrial grade power supply.
- Linux operating system, Sibichi voice interaction, supports RS485 and TCP/IP protocols.
- Standard WIFI, BT, AUX, TF.
- Applied to high-end places such as smart homes, hotel rooms, specialty stores, and cafes.



技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	20W+20W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	触摸/按键
产品尺寸Product Size	86 X 86 X 40mm
底盒规格Back Box Size	标准86底盒

主控CPU	ARM 处理器
存储EMMC	支持TF卡扩展
屏幕Screen	4.0寸电容触屏480*480
接口Interface	TF/AUX/RS485/SPK/BASS/智能联动
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3



YZ60D音乐主机

YZ60D Music host

- ARM工业级芯片，4.0寸电容触屏，德州仪器数字功放，防指纹2.5D弧面玻璃。
- Melis操作系统，支持RS485。
- 标配BT、AUX、TF。
- 应用于家庭、酒店客房、专卖店、咖啡厅等高档场所。
- High speed ARM industrial processor, Integrated 4.0 inch capacitive touch screen, TI D class power amplifier.
- Melis system, Support Rs485.
- Support: BT、AUX、TF,
- It has been widely used in family background, hotel background, store background, cafe background, high-end venue background.



技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	15W + 15W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	语音/触摸
产品尺寸Product Size	86 X 86 X 40mm
底盒规格Back Box Size	标准86安装底盒

主控CPU	ARM工业级芯片
存储EMMC	支持TF卡扩展
屏幕Screen	4.0寸电容触屏480*480
接口Interface	TF卡/RS485/数据接口
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3



YZ52音乐主机

YZ52 Music host

- ALPS旋钮操控，德州仪器数字功放，86底盒安装，8GB内存，防指纹2.5D弧面玻璃。
- 安卓10.0系统，支持咪咕音乐、Airplay、DLNA、RS485、TCP/IP协议，APP操控。
- 标配WIFI、BT、USB、AUX、TF、音频输入输出等。
- 应用于家庭、酒店客房、专卖店、咖啡厅等场所。
- ALPS knob control, Standard 86 panel design, 8GB memory.
- Support Android 10.0 system, Mugu Music, Airplay, DLNA, RS485, TCP/IP, APP
- WIFI、BT、USB、AUX, TFAudio input an output ,Audio input and output etc.
- It has been widely used in family background, hotel background, store background, cafe background, high-end venue background.



技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	20W+20W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	旋钮/APP
产品尺寸Product Size	86 X 86 X 40mm
底盒规格Back Box Size	标准86安装底盒

主控CPU	四核工业级处理器
存储EMMC	8GB
旋钮Knob control	ALPS旋钮操控
接口Interface	TF/AUX/RS485/SPK
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3



YZ51音乐主机

YZ51 Music host

- ALPS旋钮操控，德州仪器数字功放，86底盒安装，防指纹2.5D弧面玻璃。
- 支持RS485、FM、BT、AUX、TF。
- 可选功能：沐浴音乐联动。
- 应用于已装修好无法布线的房间，集成吊顶行业等场所。
- ALPS knob control, Standard 86 panel design.
- Support Rs485, FM, BT, AUX, TF.
- Optional function: Bath music linkage.
- Applied to the rooms that can not be wired after decoration, integrated ceiling industry and other places.




技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	20W+20W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	旋钮
产品尺寸Product Size	86 X 86 X 40mm
安装方式Installation Mode	标准86安装底盒

主控CPU	高速四核处理器
旋钮Knob control	ALPS旋钮操控
* 语音唤醒距离Voice wake rate 97% (5-10m)	
接口Interface	TF卡/AUX/RS485/SPK
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3

* YZ-51V内置语音唤醒功能模块



YZ70音乐主机

YZ70 Music host

- ARM工业级芯片，2.8寸电容触屏，德州仪器数字功放。
- Linux操作系统，支持远场语音交互，RS485。
- 标配WIFI、BT、AUX、TF、上电播放欢迎词，I/O口干接点联动。
- 提供开机欢迎词修改，提供开机音乐，与灯光、窗帘、水阀等酒店设备智能联动等订制服务，可与尚慧面板联体安装。
- ARM industrial grade chip, 2.8-inch capacitive touch screen, Texas Instruments digital power amplifier.
- Linux operating system, supports far-field voice interaction, Rs485.
- Standard WIFI, BT, AUX, TF, power on playback welcome message, and I/O interface dry contact linkage.
- Provide startup welcome message modification, provide startup music, and hotel equipment such as lighting, curtains, and water valvesCustomized services such as intelligent linkage can be installed in conjunction with S hanghui panels.



技术参数 Technical Parameter

电源Power Supply	DC12-24V/AC110-220V
输出功率Output Power	20W+20W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	触摸/蓝牙
产品尺寸Product Size	86 X 86X 40mm
底盒规格Back Box Size	标准86安装底盒

主控CPU	四核工业级处理器
存储EMMC	支持TF卡扩展(内置)
屏幕Screen	2.8寸电容触屏320*240
接口Interface	TF/智能联动/RS485/SPK
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3



YZ72音乐主机

YZ72 Music host

- ARM工业级芯片，4.0寸电容触屏，德州仪器数字功放。
- Linux操作系统，支持远场语音交互，RS485。
- 标配WIFI、BT、AUX、TF、上电播放欢迎词，花洒干接点联动。
- 可与尚慧面板联体安装。
- ARM industrial grade chip, 4.0 inch capacitive touch screen, Texas Instruments digital power amplifier.
- Linux operating system, supports far-field voice interaction, RS485 .
- Standard configuration includes WIFI,BT,AUX,TF,power on playback of welcome messages, and linkage of shower dry contacts.
- Can be installed in conjunction with Shanghui panels.



技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	20W+20W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	触摸/蓝牙
产品尺寸Product Size	86 X 86 X 40mm

主控CPU	ARM工业级芯片
屏幕Screen	4.0寸电容触屏480*480
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3
接口Interface	AUX/SPK
底盒规格Back Box Size	标准86安装底盒



YZ71 音乐主机

YZ71 Music host

- ARM工业级芯片，2.8寸电容触屏，德州仪器数字功放。
- Linux操作系统，支持远场语音交互，RS485、TCP/IP协议。
- 标配WIFI、BT、AUX、TF、上电播放欢迎词，I/O口干接点联动。
- 提供开机欢迎词修改，提供开机音乐，与灯光、窗帘、水阀等酒店设备智能联动等订制服务，可与尚慧面板联体安装。
- ARM industrial grade chip, 2.8-inch capacitive touch screen, Texas Instruments digital power amplifier.
- Linux operating system, Supports far-field voice interaction, RS485, TCP/IP protocol.
- Standard WIFI, BT, AUX, TF, power on playback welcome message, and I/O interface dry contact linkage.
- Provide startup welcome message modification, provide startup music, and hotel equipment such as lighting, curtains, and water valves
Customized services such as intelligent linkage can be installed in conjunction with Shanghui panels.



技术参数 Technical Parameter

电源Power Supply	DC12-24V/AC110-220V
输出功率Output Power	20W+20W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	触摸/蓝牙
产品尺寸Product Size	86 X 86X 40mm
底盒规格Back Box Size	标准86安装底盒

主控CPU	ARM工业级芯片
存储EMMC	支持TF卡扩展(内置)
屏幕Screen	2.8寸电容触屏320*240
接口Interface	TF/智能联动/RS485/SPK
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3



YZ150S 智能家居中控主机

YZ150S Smart home central control


- 工业级极速处理器，7寸高清触屏，德州仪器数字功放，16GB内存。
- Linux系统，内置思必驰语音交互，支持智能家居、在线音乐，场景音乐、DLNA/Airplay、RS485、TCP/IP协议，手机APP控制。
- 标配WIFI、BT、AUX、TF、音频输入输出等。
- 应用于家庭、酒店客房、专卖店、咖啡厅等高档场所。
- Industrial grade high-speed processor, 7-inch high-definition touch screen, Texas Instruments digital power amplifier, 16GB memory.
- Linux system with built-in Sibichi voice interaction, supporting smart home, online music, scene music DLNA/Airplay, RS485, TCP/IP protocol, mobile app control.
- Standard configuration includes WIFI, BT, AUX, TF, audio input and output, etc.
- Applied to high-end places such as homes, hotel rooms, specialty stores, and cafes.



技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	25W+25W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	语音/触摸/APP
产品尺寸Product Size	178 X 117 X 50mm
底盒规格Back Box Size	170 X 81 X 60mm

主控CPU	工业级处理器
存储EMMC	16GB
屏幕Screen	7寸电容触屏1024*600
接口Interface	TF/AUX/RS485/SPK
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3
语音唤醒距离Voice wake rate	97% (5-10m)



YZ64Tuya 智能家居中控主机 (涂鸦版)

YZ64Tuya Smart home central control(Tuya)

- 标准86底盒，4寸高清全面触屏，德州仪器数字功放，8GB内存。
- 安卓10.0，思必驰语音交互，支持智能家居、在线音乐，场景音乐、DLNA、Airplay、RS485、TCP/IP协议，手机APP控制。
- 标配WIFI、BT、AUX、TF。
- 应用于智能家居、酒店客房、专卖店、咖啡厅等高档场所。
- Standard 86 bottom case, 4-inch HD full touch screen, Texas Instruments digital power amplifier, 8GB of memory.
- Android 10.0 system, Spitz Voice Interaction, support smart home, online music, scene music, Dlna, Airplay, RS485, TCP/IP protocol, mobile APP control.
- Standard WIFI, BT, AUX, TF.
- Applied to smart home, hotel rooms, stores, cafes and other high-end places.



技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	15W + 15W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	语音/触摸/APP
产品尺寸Product Size	86 X 86 X 40mm
底盒规格Back Box Size	标准86安装底盒

主控CPU	四核工业级处理器 (运行内存: 2GB)
存储EMMC	8GB
屏幕Screen	4.0寸电容触屏480*480
接口Interface	TF卡/RS485/SPK
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3
语音唤醒距离Voice wake rate	97% (5-10m)


4寸全面屏
4" Full screen



10米语音交互
10m Voice interaction



APP控制
APP



Z7智能家居中控主机

Z7 Smart home central control

- 7寸IPS高清电容触屏，德州仪器数字功放，防指纹耐磨强化玻璃。
- 安卓10.0操作系统，支持精灵伴读，仿声讲故事，智慧课堂，在线语音购物，
- 咪咕音乐，海量影视资源。
- 适用于家庭娱乐、在线课堂、亲子互动、长者陪伴等场景。
- 7-inch IPS high-definition capacitive touch screen, Texas Instruments digital power amplifier, anti fingerprint wear-resistant reinforced glass.
- Android 10.0 operating system, supporting Pok é mon accompaniment, storytelling, smart classroom, online voice shopping,
- Migu Music, a massive collection of film and television resources.
- Suitable for home entertainment, online classrooms, parent-child interaction, elderly companionship, and other scenarios.



技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	25W+25W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	语音/触摸/APP
产品尺寸Product Size	178×117×50mm
底盒规格Back Box Size	170×105×60mm

主控CPU	四核工业级处理器 (运行内存: 2GB)
存储EMMC	16GB
屏幕Screen	7寸电容触屏1024*600
接口Interface	TF/RS485/SPK/RJ45
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3
语音唤醒距离Voice wake rate	97% (5-10m)



YZ100 智能家居中控主机 (蓝牙发射版)

YZ100 Smart home central control (Bluetooth transmitter)

- 四核极速芯片，7寸高清触屏，16GB内存。
- 安卓10.0系统，内置思必驰语音交互，支持智能家居、在线音乐，场景音乐、两路灯控、全屋对讲、蓝牙MESH，手机APP控制。
- 标配WIFI、BT、TF、数据接口、两路继电器、零火线接口。
- 应用于家庭、酒店客房、专卖店、咖啡厅等高档场所。
- Quad core industrial processor, 16GB memory, 7" IPS HD display, TI class D power amplifier.
- Android 10.0 system, Built-in AISpeech Voice interaction solution. Support Smart Home, Online music, Scene music, Two way relay control, DLNA/Airplay, RS485, TCP/IP, APP.
- Support: WIFI、BT、AUX、TF、Data interface、L1/L2、L/N Interface.
- It has been widely used in family background, hotel background, store background, cafe background, high-end venue background.



技术参数 Technical Parameter

电源 Power Supply	AC110-250V 50Hz
蓝牙 Bluetooth	蓝牙5.1
语音唤醒距离 Voice wake rate	97% (5-10m)
控制模式 Control Mode	语音/触摸/APP
产品尺寸 Product Size	178×117×50mm
底盒规格 Back Box Size	标准86安装底盒

主控CPU	四核工业级处理器 (运行内存: 2GB)
存储EMMC	16GB
屏幕Screen	7寸电容触屏1024*600
接口Interface	TF卡/RS485/数据接口/两路继电器
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3



YZ85 功率放大器

YZ85 power amplifier



- ARM Cortex-A9四核处理器，壁挂安装、铝合金机身，德州仪器数字功放，工业级电源，8GB内存，外置高增益天线。
- 系统深度优化，支持咪咕音乐、Airplay、DLNA、RS485、TCP/IP协议，APP操控。
- 标配WIFI、BT、AUX、TF、音频输入等。
- 应用于已装修好无法布线的房间，集成吊顶行业等场所。
- ARM Cortex-A9 quad core processor, wall mounted, aluminum alloy body, Texas Instruments digital power amplifier, industrial grade power supply, 8GB memory, external high gain antenna.
- Deep optimization of the system, supporting Migu Music, Airplay, DLNA, RS485, TCP/IP protocols, and APP control.
- Standard configuration includes WIFI, BT, AUX, TF, audio input, etc.
- Applied to rooms that have already been decorated but cannot be wired, integrated ceiling industries, and other places.



技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	40W+40W
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	手机APP
产品尺寸Product Size	225 X 97 X 45mm
安装方式Installation Mode	壁挂/平放

主控CPU	四核工业级处理器
存储EMMC	8GB
天线Antenna	外置高增益天线
接口Interface	TF/AUX/RS485/RJ45/OUT/SPK
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3



隐藏式安装
Hidden installation



YZ81 蓝牙功率放大器

YZ81 Bluetooth power amplifier

- 壁挂安装、铝合金机身，德州仪器数字功放，工业级电源，蓝牙增益天线，。
- 支持四组喇叭输出，BT、AUX、音频输入等。
- 应用于已装修好无法布线的房间，集成吊顶行业等场所。
- Wall mounted, aluminum alloy body, Texas Instruments digital amplifier, industrial grade power supply, Bluetooth gain antenna.
- Supports four sets of speaker outputs,BT, AUX, audio input, etc.
- Applied to rooms that have already been decorated but cannot be wired,integrated ceiling industries, and other places.



技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	40W*4
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	旋钮/APP
产品尺寸Product Size	225*97*45mm
安装方式Installation Mode	壁挂/平放

主控CPU	工业级处理器
蓝牙Bluetooth	蓝牙5.1
天线Antenna	外置高增益天线
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3
接口Interface	AUX/SPK



YZ80导轨式功率放大器

YZ80 Rail type power amplifier


- ARM Cortex-A9四核芯片，德州仪器数字功放，8GB内存，专业机架安装。
- 支持咪咕音乐、Airplay DLNA、RS485、TCP/IP协议。
- 标配RJ45、BT、AUX、TF、I/O干接点信号触发、音频输入等。
- 应用于已装修好无法布线的房间，集成吊顶行业等场所。
- ARM Cortex-A9 quad-core chip, Texas Instruments digital power amplifier, 8GB of memory, professional rack installation.
- Support for MIMO music, Airplay DLNA, RS485, TCP/IP protocol.
- Standard RJ45, BT, AUX, TF, I/O dry contact signal trigger, audio input and output.
- Applied to the rooms that can not be wired after decoration, integrated ceiling industry and other places.



技术参数 Technical Parameter

电源Power Supply	AC110-250V 50Hz
输出功率Output Power	40W+40W
输出阻抗OutPut Impedance	4-8Ω
控制模式Control Mode	APP
产品尺寸Product Size	225 X 97 X 45mm
安装方式Installation Mode	标准机架安装

主控CPU	高速四核处理器
存储EMMC	8GB
屏幕Screen	4.0寸电容触屏480*480
接口Interface	TF卡/AUX/RS485/RJ45/USB/SPK
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3



Y30 蓝牙功率放大器

Y30 Bluetooth power amplifier



- 壁挂安装、体型小巧精致，德州仪器数字功放。
- 支持两组喇叭输出，BT、AUX、RS485等。
- 应用于已装修好无法布线的房间，集成吊顶行业等场所。
- Wall mounted, compact and exquisite in size, Texas Instruments digital amplifier.
- Supports two sets of speaker outputs, BT, AUX, RS485, etc.
- Applied to rooms that have already been decorated but cannot be wired, integrated ceiling industries, and other places.



技术参数 Technical Parameter

电源Power Supply	DC 19V == 2.5A
输出功率Output Power	15W*2
输出阻抗Output Impedance	4-8Ω
控制模式Control Mode	蓝牙
产品尺寸Product Size	100x38*25mm

功放Amplifier	德州仪器功放
蓝牙Bluetooth	蓝牙5.1
音频格式Audio format	MP3,WMA,APE,FLAC,OGG,AAC,AC3
接口Interface	RS485/AUX/SPK



Y60定阻/定压功率放大器

Y60 Fixed resistance/constant voltage power amplifier

定阻/定压功率放大器，2路定频输入，1路变频输入

蓝牙、USB、SD卡播放，高低音调节

4-16Ω定阻和110V定压输出

Fixed resistance/constant voltage power amplifier, 2 fixed frequency inputs, 1 variable frequency input.


Bluetooth, USB, SD card playback, High and low frequency adjustment.
4-16 Ω fixed resistance and 110V fixed voltage output.



技术参数 Technical Parameter

产品型号 Model	Y60
电 源 Power	AC 220V
信 噪 比 SNR	>76dB
输出功率 Output Power	60W

输出形式 Output Form	4-16Ω定阻和110V定压
频响范围 Frequency Response	40Hz-19KHz±0.5dB
总谐波失真 Total harmonic distortion	<0.2%
产品尺寸 Size	240*200*60mm



Y360定压功率放大器

Y360 Constant voltage power amplifier

定压功率放大器，3路变频输入，2路话筒输入，6分区独立控制

蓝牙、USB、SD卡播放，Mici话筒优先功能，1路信号输出

各分区音量独立控制

Constant voltage power amplifier, 3 variable frequency inputs, 2 microphone inputs, 6-zone independent control

Bluetooth, USB, SD card playback, Mici microphone priority function, 1 signal output


Independent volume control for each partition



技术参数 Technical Parameter

产品型号 Model	Y360	输出形式 Output Form	4-16Ω定阻和100V定压
电 源 Power	AC 220V	频响范围 Frequency Response	40Hz-19KHz±0.5dB
信 噪 比 SNR	>78dB	总谐波失真 Total harmonic distortion	<0.2%
输出功率 Output Power	360W	产品尺寸 Size	480*410*88mm

广播 Broadcast



YZ7.1KTV影院

YZ7.1 KTV Cinema

右转智能影院是一款集专业版点歌系统、在线影库、安卓系统的7.1解码功放智控一体机，内置两支专业级麦克风，三进一出2.1版本高清视频输出口，内置500GB硬盘，外接触摸屏，实现7.1高清解码，配有遥控器，支持USB和蓝牙播放，具有232接口外接中控主机。

YouZhuan The Smart Theater is a 7.1 decoder amplifier integrated with professional version of the song-ordering system, online movie library, and Android system. It has two professional-grade microphones built into it. Three in, one out, version 2.1 high-definition video is exported, built-in 500GB hard disk, external touch screen, 7.1 HD decoding, with remote control, support USB and Bluetooth playback, with 232 interface external central control host.



7.1KTV影院功放



YZ465吸顶喇叭*3



YZ6030壁画音箱*2



Y2吸顶喇叭*2



YZ12超低音炮*1

技术参数 Technical Parameter

产品型号 Model	YZ7.1 KTV影院 YZ7.1KTV Cinema amplifier
系统 System	安卓影音K歌系统Android audio and video KTV system
主输出 Main output	2*250W
中置输出 Mid-output	1*250W
环绕输出 Surround output	4*250W
低音输出 Bass output	1*500W

主声道频响 Main channel FR	100Hz-20KHz ± 2dB
扬声器 Speaker: 主声道L/R/中置CEN/环绕SW/SR/低音SW (4-16Ω)	
音调控制 Tone control	LF:100Hz±14dB(±2dB) HF:100Hz±14dB(±2dB)
电源 Power	AC 220V/50Hz 10%
尺寸 Size	430*380*130mm



落地音箱影院 Stereo Theater



吸顶音箱影院 Sound Box Theater



隐藏音箱影院 Hidden Speaker cinema



配置
Configuration

功率放大器：YZ7.1合并影K功放(内置蓝光播放器/解码器/点歌机/效果器/麦克风接收器)
Power amplifier:YZ7.1 Audio-visual amplifier(Built-in blu-ray Player/decoder/jukebox/effects/microphone receiver)
主音箱：YZ465吸顶扬声器*2
Main speaker:YZ465 Ceiling speakers*2
中置音箱：YZ465吸顶扬声器*1
Center speaker:YZ465 Ceiling speakers*1
环绕音箱：YZ6030壁画音箱*2/Y2吸顶扬声器*2
Surround speaker:YZ6030 Mural speakers*2/Y2 Ceiling speakers*2
低音音箱：YZ12低音炮（外摆式）*1
Bass speaker:YZ12 Bass(External)*1

YZ2.0 KTV影院

YZ2.0 KTV Cinema

大功率五合一智能功放（安卓系统、点歌系统、功放、效果器、麦克风），内置专业点歌系统、32GB+500GB硬盘，预存5000首歌曲，AI语音双系统，蓝牙智能语音遥控器，无缝切换，操作简单。开机模式锁定，一键恢复出厂设置，蓝牙/USB播放。

High-power five-in-one smart amplifier (Android, song ordering system, amplifier, effects, microphone), built-in professional song ordering system, 32GB+500GB hard disk, pre-stored 5000 songs, AI voice dual system, bluetooth intelligent voice remote control, seamless switching, simple operation. Boot Mode Lock, one button to resume factory settings, Bluetooth/USB playback.



技术参数 Technical Parameter

产品型号 Model	YZ2.0家庭KTV
系 系统 System	AI语音双系统、专业点歌系统
功 率 Power	2*700W
存 储 Storage	内置32GB+500GB硬盘
话 筒 Microphone	专业U段无线追踪麦克风
遥 控 器 Remote Control	蓝牙智能语音遥控器

音 箱 loudspeaker box	12寸2分频全音域KTV音箱*2
标称阻抗 Nominal impedance	8Ω
频响范围 Frequency Response	38Hz-19KHz
功 率 Power	400W
声 压 级 Sound Pressure Level	127dB
音箱尺寸 Speaker size	362*382*600mm



艺术壁画蓝牙音箱

Art murals sound Bluetooth box

电子分频，低频震撼。航天级钕铁硼磁铁喇叭细节听的见，95%皆为发声结构让音乐更为纯粹，DSP声效运算高保真音效。典雅壁画装饰，让你的家更具情调。超薄壁挂设计，与家装完美融合。

Electronic frequency division, low-frequency shock. Aerospace grade neodymium iron boron magnetic horn details listeningIn my opinion, 95% of them are vocal structures that make music more pure, with DSP sound effectsComputational high fidelity sound effects. Elegant mural decorations make your home more charming.Ultra thin wall hanging design, perfectly integrated with home decoration.



YZ5040BT

YZ6030BT

产品型号 Model	YZ6030BT	YZ5040BT
电 源 Power	DC19V= 2.5A	DC19V= 2.5A
额定功率 Rated Power	30W	30W
喇叭配置 Speaker	中低音喇叭15W*2 +高音喇叭15W	中低音喇叭15W*2 +高音喇叭15W
频率范围 Frequency Range	50Hz-20KHz	50Hz-20KHz
灵 敏 度 Sensitivity	88dB	88dB
产品尺寸 Size	600*300*45mm	520*400*45mm



常规网布
Conventional mesh fabric

艺术订制网布
Art customized mesh fabric

45mm
超薄机身
Ultra thin body

电子二分频声音分布
Electronic binary frequency sound distribution

航天级钕铁硼磁铁
Aerospace grade neodymium boron magnet

DSP 声效运算
Sound effect operation

TWS

精典宾利灰/爱马仕橙/法拉利红
Grey/Orange/Red

YZ4030隐藏平面音箱

YZ4030 HIDE THE SPEAKERS

隐形音箱具有平滑的低频扩展功能，并且提高灵敏度，从而使声响变得更有活力、更吸引人，吸收了最佳阻尼和减少声音共振技术，将最新的设计构建到石膏中。



考虑到与石膏板或天花板的无缝嵌接需求，采用高质量的防火板材料，无需涂上全湿表层物。具有安装简便、轻量等优点。

The stealth speaker has a smooth low-frequency expansion function and improves sensitivity, thus making the sound more dynamic and attractive, absorbing optimal damping and reducing excitation resonance technology, building the latest designs into plaster. High quality fireproofing material is used for seamless joint with plasterboard or ceiling, no need to apply wet surface material. The utility model has the advantages of simple installation, light weight, etc.



技术参数 Technical Parameter

发音板 Pronunciation board	4mm 铝镁蜂巢
额定功率 Rated Power	65W
最大功率 Max Power	130W
频率范围 Frequency Range	120Hz-19KHz
额定阻抗 Rated Impedance	8Ω
产品尺寸 Size	450*300*30mm



搭配右转低音炮，聆听高价位的全频段音乐。
隐形音箱应用了最佳驱动和最佳阻尼技术，
并隐匿于2毫米厚的石膏背后。

With a right-turn subwoofer, listen to high-priced full-band music. The invisibility speaker uses the best driving and damping techniques and is concealed behind a 2mm-thick plaster.


配置
Configuration

功率放大器：YZ7.1功放/YZ4030隐形音箱*7 Power amplifier:YZ7.1 Amplifier/YZ4030*7
低音音箱：YZ12低音炮（外摆式）*1 Bass speaker:YZ12 Bass(External)*1

吸顶扬声器系列 In-ceiling/Wall-mounted speaker series

磁吸金属面罩，全铝合金复合箱体，表面喷涂时尚哑光面漆；高保真喇叭单元，侧面无源单辐射盆，可调节角度（Y2A）。全封闭金属机身音腔，音质更佳；全铜镀金接线柱，声音信号传导效果好；配备2只/4只/8只组建环绕立体声场，搭建家庭影院背景音乐系统。



Magnetic metal mask, all-aluminum metal composite box, surface sprayed with fashion matte finish; high-fidelity horn unit, side passive single radiation basin, adjustable angle (Y2A). Full-enclosed metal body cavity, better sound quality, all-copper gold-plated terminals, sound signal transmission effect is good, equipped with 2/4/8 to build a Surround sound field, home theater background music system.



Y2吸顶扬声器是右转扬声器系列中最紧凑的扬声器之一，超薄金属面罩与墙面完美契合，无论安装在墙面还是天花板上都有更多选择。既可单独使用，也能多个串联使用搭建影院级声场。

The Y2 ceiling speaker is one of the most compact speakers in the right turn speaker series. The ultra-thin metal mask fits perfectly on the wall and offers more options for wall and ceiling mounting. It can be used alone or in series to build the sound field of cinema level.


产品型号Model	Y2/Y2A/Y2BT
喇叭单元Speaker unit	1*2.25" Driver
频响范围Frequency	65-20KHz
额定功率Rated power	10-50W
灵敏度Sensitivity	87dB
辐射器Radiator	45*50mm被动辐射器
额定阻抗 Rated Impedance	8Ω
产品尺寸Size	Ø 104*70mm
开孔尺寸Size	Ø 87mm



无源辐射盆设计
Passive radiation basin design



高保真喇叭单元
High fidelity speaker unit



金属全封闭箱体
Metal fully enclosed box



吸顶扬声器系列 In-ceiling/Wall-mounted speaker series

Y2A斜角扬声器 Y2A Bevel speakers

我们专门为Y2A扬声器倾斜15度，拥有传统天花扬声器的所有优点，声音定向，家庭影院系统使用。

而且特别适合搭配其他扬声器，作为全景声的天空声道，环绕声道来使用。


We specialize in Y2A speakers with a 15-degree tilt, featuring all the advantages of traditional smallpox speakers, voice orientation, and home theater system use. And especially suitable for other speakers, as a panoramic sound of the sky channel, surround the channel to use.



Y2BT有源扬声器 Y2BTActive Speaker

Y2BT有源扬声器通过蓝牙，接收到音乐播放器的高品质音频信号进行播放。而无需铺设喇叭线，适用于无法布线的区域。

Y2BT The active speaker receives high-quality audio signals from the music player through Bluetooth for playback. And there is no need to lay horn wires, suitable for areas where wiring cannot be done.



电源线(power cord)

2*100芯喇叭金银线(Speaker line)

超六类网线(Network cable)



Perfection Elevated

完美的提升

5.25/6.5寸带式高音吸顶扬声器

5.25"/6.5" Band type high pitched ceiling speaker



RDT II(第2代刚性膜片技术)振盘技术：复合“三明治”结构，由超薄超轻的表皮组成，并粘结到蜂窝Nomex骨架上，它非常轻且非常坚固，这意味着它可以以极高的速度响应而不会弯曲-就是一个完美的活塞一样。RDT II将C-CAM铝镁合金用于前表面，而后面则由碳纤维材料制成。这种新结构可将300Hz以上的失真降低8dB以上，成为最低失真的振盘锥技术。

RDT II (2nd generation rigid membrane technology) Vibration plate technology:a composite "sandwich" structure composed of ultra-thin and ultra-light skin,bonded to the honeycomb Nomex skeleton,whichVery light and sturdy,which means it can respond at extremely high speeds without bending-just like a perfect piston.RDT II Convert C-CAM aluminum magnesium alloyUsed on the front surface,while the back is made of carbon fiber material.This new structure can reduce distortion above 300Hz by more than 8dB,becoming the lowest distortion disk cone technology.





MPD(微褶膜片)高频传感器：代表了对现有技术富于想像力的重现，将成功的构想转变成发烧友期望的超级单元，其准确性和效率比以往都有更高提升。专有的轻质金属褶隔膜的表面积是传统圆顶高音扬声器的八倍。MPD换能器的工作原理类似于超快手风琴，它可以快速挤压褶皱，以产生平滑、宽广、自然的快速响应，频率最高可达100KHz。声音听起来更保真，释放了每个音符的高次谐波频谱，而不会失真或者模糊。

MPD(Micro Folded Membrane)High Frequency Sensor:Representing a rich reproduction of existing technology,transforming successful ideas into the super unit expected by enthusiasts,its accuracy and efficiency have been improved more than ever before.The surface area of the proprietary lightweight metal pleated diaphragm is eight times that of traditional dome tweeters.Working principle of MPD transducerSimilar to the ultrafast accordion,it can quickly squeeze folds to produce a smooth, wide,natural and fast response, with a maximum frequency of 100KHz.The sound sounds betterFidelity releases the high-order harmonic spectrum of each note without distortion or blurring.

吸顶扬声器系列 In-ceiling/Wall-mounted speaker series

YZ565/YZ566带式高音吸顶扬声器专门为高端项目设计，具有长冲程低音单元，带有刚性膜片技术(RDT II)锥盆技术，可提供极为强劲的低音效果。为了满足家居设计师和终端用户的需要，金属吸顶面罩通过涂漆以匹配房间装饰而完美融合。为您展示了成功将高端音频性能与安装完美结构的惊人示例。

The YZ565/YZ566 belt mounted high pitched ceiling speaker is specifically designed for high-end projects, featuring a long stroke bass unit and rigid diaphragm technology (RDT II) Cone and basin technique,Can provide extremely strong bass effects.To meet the needs of home designers and end-users,metal ceiling masks are painted to match room decorationAnd perfect integration.We have shown you a stunning example of successfully combining high-end audio performance with the perfect installation structure.




产品型号	YZ565	YZ566
喇叭单元	5.25"	6.5"
频响范围	50-40KHz	50-40KHz
额定功率范围	20-40W	30-60W
灵敏度	88dB	89dB
标称阻抗	8Ω	8Ω
产品尺寸	Ø 207*81mm	Ø 235*105mm
开孔尺寸	Ø 180mm	Ø 205mm



有源吸顶扬声器 (YZ465BT/YZ465WIFI/YZ465POE/YZ465Dante)

时尚简约，安装便捷，应用广泛，阻燃高强度，防水不易变色，金属磁吸面罩；高强度锥体振膜，高损耗耐疲劳橡胶折环；高音采用天然丝振膜，航天级磁液冷却，功率承受能力强；平整的频率响应曲线，声音表现超然脱俗，平衡性佳，覆盖均匀。

Simple fashion, Convenient installation, Widely used, Flame Retardant high strength, Waterproof not easy to change color, Metal magnetic mask; High strength cone diaphragm, High loss and fatigue Resistance, Rubber folding ring; High-pitched use of natural silk diaphragm, Space-class magnetic fluid cooling, Power bearing capacity, Flat frequency response curve, Sound performance of otherworldly, Well-balanced, Even coverage.




产品型号	YZ465BT	YZ465WIFI	YZ465POE	YZ465Dante
喇叭单元	5.25"玻纤低音/25芯钛膜高音	5.25"玻纤低音/25芯钛膜高音	5.25"玻纤低音/25芯钛膜高音	5.25"玻纤低音/25芯钛膜高音
阻抗	8Ω	8Ω	8Ω	8Ω
频响范围	55-20KHz	55-20KHz	55-20KHz	55-20KHz
产品尺寸	Ø 207*83mm	Ø 207*83mm	Ø 207*83mm	Ø 207*83mm
输入电源	DC19V --- 2.5A	DC19V --- 2.5A	DC19V --- 2.5A	DC19V --- 2.5A
推荐功率	30W	30W	30W	30W
开孔尺寸	Ø 180mm	Ø 180mm	Ø 180mm	Ø 180mm
描述	蓝牙推送音乐，一主+一副/一主+三副组网播放。标配AUX、TF、I/O干接点信号触发、音频输入输出等。 提供开机欢迎词修改，企业LOGO丝印，播放开机订制音乐，与灯光、窗帘、水阀等设备智能联动客房定制服务。 The metal mesh surface adopts advanced spraying technology which does not rust,fade,resist high impact, and has better sound quality.Clamp type speaker wiring porteasy to connect and not easy to fall offensuring effective output of sound source.Spring mounted elastic clip,easy to operate and easy to assemble.13 core MYLAR high pitched PP basin rubber edge,better bass,Bluetooth push music,one master+one pair/one master +three pairs network playback.Standard AUX,TF,I/O dry contact signal triggering, audio input/output/etc.Provide startup welcome message modification,enterprise logo screen printing.Play customized music for startup,along with lighting,curtains,water valves, and other equipment Intelligent linkage room customization service.	安卓系统，Airplay、DLNA、RS485、TCP/IP协议，APP操控。标配WIFI、BT、AUX、TF、音频输入输出等。 WIFI推送音乐，一主+一副/一主+三副。提供订制开发服务。 Android system,Airplay,DLNA,RS485,TCP/IP protocol,APP control.Standard WIFI,BT,AUX,TF,audio input/output/etc.WIFI push music, one master+one pair/one master+three pairs.Provide customized development services.	标准POE供电 Standard POE power supply	Dante网络有源音箱兼容其他Dante设备，具有低延时，无信号压缩，高采样率，数字音频网线传输。 Dante network active speaker,compatible with other Dante devices,with low latency,no signal compression,high sampling rate,and digital audio network cable transmission.

有源吸顶扬声器 (YZ466BT/YZ466WIFI/YZ466POE/YZ466Dante)

时尚简约，安装便捷，应用广泛，阻燃高强度，防水不易变色，金属磁吸面罩；高强度锥体振膜，高损耗耐疲劳橡胶折环；高音采用天然丝振膜，航天级磁液冷却，功率承受能力强；平整的频率响应曲线，声音表现超然脱俗，平衡性佳，覆盖均匀。

Simple fashion, Convenient installation, Widely used, Flame Retardant high strength, Waterproof not easy to change color, Metal magnetic mask; High strength cone diaphragm, High loss and fatigue Resistance, Rubber folding ring; High-pitched use of natural silk diaphragm, Space-class magnetic fluid cooling, Power bearing capacity, Flat frequency response curve, Sound performance of otherworldly, Well-balanced, Even coverage.




产品型号	YZ466BT	YZ466WIFI	YZ466POE	YZ466Dante
喇叭单元	6.5"玻纤低音/25芯钛膜高音	6.5"玻纤低音/25芯钛膜高音	6.5"玻纤低音/25芯钛膜高音	6.5"玻纤低音/25芯钛膜高音
阻抗	8Ω	8Ω	8Ω	8Ω
频响范围	55-22KHz	55-22KHz	55-22KHz	55-22KHz
产品尺寸	Ø 235*99mm	Ø 235*99mm	Ø 235*99mm	Ø 235*99mm
输入电源	DC19V == 2.5A	DC19V == 2.5A	DC19V == 2.5A	DC19V == 2.5A
推荐功率	40W	40W	40W	40W
开孔尺寸	Ø 205mm	Ø 205mm	Ø 205mm	Ø 205mm
描述	<p>蓝牙推送音乐，一主+一副/一主+三副组网播放。标配AUX、TF、I/O干接点信号触发、音频输入输出等。</p> <p>提供开机欢迎词修改，企业LOGO丝印，播放开机订制音乐，与灯光、窗帘、水阀等设备智能联动客房订制服务。</p> <p>The metal mesh surface adopts advanced spraying technology which does not rust, adheres high impact, and has better sound quality.Clamp type speaker wiring port,easy to connect and not easy to fall off ensuring effective output of sound source.Spring mounted elastic diaphragm,easy to operate and easy to assemble.13 core MYLAR high pitched PP basin rubber edge,better bass,Bluetooth push music,one master+one pair/one master +three pairs network playback.Standard AUX,I/O dry contact signal triggering,audio input/output,etc.Provide startup welcome message modification,enterprise logo screen printing.Play customized music for startup,along with lighting,curtains,water valves, and other equipment Intelligent linkage room customization service.</p>	<p>安卓系统，Airplay、DLNA、RS485、TCP/IP协议，APP操控。标配WIFI、BT、AUX、TF、音频输入输出等。</p> <p>WIFI推送音乐，一主+一副/一主+三副。提供订制开发服务。</p> <p>Android system,Airplay,DLNA,RS485,TCP/IP protocol,APP control.Standard WIFI,BT,AUX,TF,audio input/output,etc.WIFI push music,one master+one pair/one master+three pairs.Provide customized development services.</p>	<p>标准POE供电 Standard POE power supply</p>	<p>Dante网络有源音箱兼容其他Dante设备，具有低延时，无信号压缩，高采样率，数字音频网线传输。</p> <p>Dante network active speaker,compatible with other Dante devices,with low latency,no signal compression,high sampling rate,and digital audio network cable transmission.</p>

有源吸顶扬声器 (YZ164BT/YZ202BT/264BT)

时尚简约，安装便捷，应用广泛，阻燃高强度，防水不易变色，金属磁吸面罩；高强度锥体振膜，高损耗耐疲劳橡胶折环；高音采用天然丝振膜，航天级磁液冷却，功率承受能力强；平整的频率响应曲线，声音表现超然脱俗，平衡性佳，覆盖均匀。

Simple fashion, Convenient installation, Widely used, Flame Retardant high strength, Waterproof not easy to change color, Metal magnetic mask; High strength cone diaphragm, High loss and fatigue Resistance, Rubber folding ring; High-pitched use of natural silk diaphragm, Space-class magnetic fluid cooling, Power bearing capacity, Flat frequency response curve, Sound performance of otherworldly, Well-balanced, Even coverage.




	YZ164BT	YZ202BT	YZ264BT
喇叭单元	4"射出盆低音/20芯蚕丝膜高音	4"PP盆低音/20芯蚕丝膜高音	4"玻纤低音/20芯蚕丝膜高音
阻抗	8Ω	8Ω	8Ω
频响范围	65-20KHz	65-20KHz	65-20KHz
产品尺寸	Ø 175*80mm	Ø 175*80mm	Ø 175*80mm
输入电源	DC19V = 2.5A	DC19V = 2.5A	DC19V = 2.5A
推荐功率	40W	40W	40W
开孔尺寸	Ø 150mm	Ø 150mm	Ø 150mm
描述	<p>蓝牙推送音乐，一主+一副/一主+三副组网播放。标配AUX、TF、I/O干接点信号触发、音频输入输出等。提供开机欢迎词修改，企业LOGO丝印，播放开机订制音乐，与灯光、窗帘、水阀等设备智能联动客房订制服务。</p> <p>The metal mesh surface adopts advanced spraying technology, which does not rust, fade, resist high impact and has better sound quality. Clamp type speaker wiring port, easy to connect and not easy to fall off, ensuring effective output of sound source. Spring mounted elastic clip, easy to operate and easy to assemble. 13 core MYLAR high pitched PP basin rubber edge, better bass. Bluetooth push music, one master + one pair / one master + three pairs network playback. Standard AUX, TF, I/O dry contact signal triggering, audio input/output, etc. Provide startup welcome message modification, enterprise logo screen printing. Play customized music for startup, along with lighting, curtains, water valves, and other equipment intelligent linkage room customization service.</p>	<p>蓝牙推送音乐，一主+一副/一主+三副组网播放。标配AUX、TF、I/O干接点信号触发、音频输入输出等。提供开机欢迎词修改，企业LOGO丝印，播放开机订制音乐，与灯光、窗帘、水阀等设备智能联动客房订制服务。</p> <p>The metal mesh surface adopts advanced spraying technology, which does not rust, fade, resist high impact and has better sound quality. Clamp type speaker wiring port, easy to connect and not easy to fall off, ensuring effective output of sound source. Spring mounted elastic clip, easy to operate and easy to assemble. 13 core MYLAR high pitched PP basin rubber edge, better bass. Bluetooth push music, one master + one pair / one master + three pairs network playback. Standard AUX, TF, I/O dry contact signal triggering, audio input/output, etc. Provide startup welcome message modification, enterprise logo screen printing. Play customized music for startup, along with lighting, curtains, water valves, and other equipment intelligent linkage room customization service.</p>	<p>蓝牙推送音乐，一主+一副/一主+三副组网播放。标配AUX、TF、I/O干接点信号触发、音频输入输出等。提供开机欢迎词修改，企业LOGO丝印，播放开机订制音乐，与灯光、窗帘、水阀等设备智能联动客房订制服务。</p> <p>The metal mesh surface adopts advanced spraying technology, which does not rust, fade, resist high impact and has better sound quality. Clamp type speaker wiring port, easy to connect and not easy to fall off, ensuring effective output of sound source. Spring mounted elastic clip, easy to operate and easy to assemble. 13 core MYLAR high pitched PP basin rubber edge, better bass. Bluetooth push music, one master + one pair / one master + three pairs network playback. Standard AUX, TF, I/O dry contact signal triggering, audio input/output, etc. Provide startup welcome message modification, enterprise logo screen printing. Play customized music for startup, along with lighting, curtains, water valves, and other equipment intelligent linkage room customization service.</p>

有源吸顶扬声器 (YZ165BT/YZ205BT/YZ265BT)

时尚简约，安装便捷，应用广泛，阻燃高强度，防水不易变色，金属磁吸面罩；高强度锥体振膜，高损耗耐疲劳橡胶折环；高音采用天然丝振膜，航天级磁液冷却，功率承受能力强；平整的频率响应曲线，声音表现超然脱俗，平衡性佳，覆盖均匀。

Simple fashion, Convenient installation, Widely used, Flame Retardant high strength, Waterproof not easy to change color, Metal magnetic mask; High strength cone diaphragm, High loss and fatigue Resistance, Rubber folding ring; High-pitched use of natural silk diaphragm, Space-class magnetic fluid cooling, Power bearing capacity, Flat frequency response curve, Sound performance of otherworldly, Well-balanced, Even coverage.




	YZ165BT	YZ205BT	YZ265BT
喇叭单元	5.25"玻纤低音/25芯钛膜高音	5.25"PP盆低音/13芯PET高音	5.25"玻纤低音/25芯钛膜高音
阻抗	8Ω	8Ω	8Ω
频响范围	55-20KHz	55-20KHz	55-20KHz
产品尺寸	Ø 198*81mm	Ø 198*81mm	Ø 198*81mm
输入电源	DC19V = 2.5A	DC19V = 2.5A	DC19V = 2.5A
推荐功率	40W	40W	40W
开孔尺寸	Ø 180mm	Ø 180mm	Ø 180mm
描述	<p>蓝牙推送音乐，一主+一副/一主+三副组网播放。标配AUX、TF、I/O干接点信号触发、音频输入输出等。提供开机欢迎词修改，企业LOGO丝印，播放开机订制音乐，与灯光、窗帘、水阀等设备智能联动客房订制服务。</p> <p>The metal mesh surface adopts advanced spraying technology, which does not rust,fade,resist high impactand has better sound quality.Clamp type speaker wiring port,easy to connect and not easy to fall offensuring effective output of sound source.Spring mounted elastic clip,easy to operate and easy to assemble.13' core MYLAR high pitched.PP basin rubber edge,better bass, Bluetooth push music,one master+one pair/one master+three pairs network playback.Standard AUX,TF,I/O dry contact signal triggering,audio inputOutput,etc.Provide startup welcome message modification,enterprise logo screen printing.Play customized music for startup,along with lighting,curtains, water valves, and other equipmentIntelligent linkage room customization service.</p>	<p>蓝牙推送音乐，一主+一副/一主+三副组网播放。标配AUX、TF、I/O干接点信号触发、音频输入输出等。提供开机欢迎词修改，企业LOGO丝印，播放开机订制音乐，与灯光、窗帘、水阀等设备智能联动客房订制服务。</p> <p>The metal mesh surface adopts advanced spraying technology, which does not rust,fade,resist high impactand has better sound quality.Clamp type speaker wiring port,easy to connect and not easy to fall offensuring effective output of sound source.Spring mounted elastic clip,easy to operate and easy to assemble.13' core MYLAR high pitched.PP basin rubber edge,better bass, Bluetooth push music,one master+one pair/one master+three pairs network playback.Standard AUX,TF,I/O dry contact signal triggering,audio inputOutput,etc.Provide startup welcome message modification,enterprise logo screen printing.Play customized music for startup,along with lighting,curtains, water valves, and other equipmentIntelligent linkage room customization service.</p>	<p>蓝牙推送音乐，一主+一副/一主+三副组网播放。标配AUX、TF、I/O干接点信号触发、音频输入输出等。提供开机欢迎词修改，企业LOGO丝印，播放开机订制音乐，与灯光、窗帘、水阀等设备智能联动客房订制服务。</p> <p>The metal mesh surface adopts advanced spraying technology, which does not rust,fade,resist high impactand has better sound quality.Clamp type speaker wiring port,easy to connect and not easy to fall offensuring effective output of sound source.Spring mounted elastic clip,easy to operate and easy to assemble.13' core MYLAR high pitched.PP basin rubber edge,better bass, Bluetooth push music,one master+one pair/one master+three pairs network playback.Standard AUX,TF,I/O dry contact signal triggering,audio inputOutput,etc.Provide startup welcome message modification,enterprise logo screen printing.Play customized music for startup,along with lighting,curtains, water valves, and other equipmentIntelligent linkage room customization service.</p>

时尚简约，安装便捷，应用广泛，阻燃高强度，防水不易变色，金属磁吸面罩；高强度锥体振膜，高损耗耐疲劳橡胶折环；高音采用天然丝振膜，航天级磁液冷却，功率承受能力强；平整的频率响应曲线，声音表现超然脱俗，平衡性佳，覆盖均匀。

Simple fashion, Convenient installation, Widely used, Flame retardant high strength, Waterproof not easy to change color, Metal magnetic mask; High-strength cone diaphragm, High loss and fatigue-resistant rubber folding ring; High-pitched use of natural silk diaphragm, Space-class magnetic fluid cooling, Power bearing capacity, Flat frequency response curve, Sound performance of otherworldly, Well-balanced, Even coverage.



4寸吸顶扬声器 (YZ164/YZ202/YZ264)




喇叭单元	低音4"×1/蚕丝膜高音x1	低音4"×1/蚕丝膜高音x1	低音4"×1/蚕丝膜高音x1
阻抗	8Ω	8Ω	8Ω
额定/峰值功率	20W/40W	20W/40W	20W/40W
频响范围	65-20KHz	65-20KHz	65-20KHz
产品尺寸	Ø 175*80mm	Ø 175*80mm	Ø 175*80mm
开孔尺寸	Ø 150mm	Ø 150mm	Ø 150mm

全频吸顶扬声器


- 金属网面采用先进喷涂技术，不生锈、不掉色、抗高冲，音质更好
- 夹式喇叭接线端口，接线方便不易脱落，保证音源有效输出
- 弹簧式安装弹力夹，操作简单，装配便捷。
- 13芯MYLAR高音，PP盆橡胶边，低音更好

-
-
-
-



喇叭单元	低音2"×1/鼓纸高音x1	低音2.75"×1/铝鼓纸高音x1	低音3"×1/铝鼓纸高音x1
阻抗	8Ω	8Ω	8Ω
恒定/峰值功率	5W/10W	6W/15W	10W/20W
频响范围	65-20KHz	65-20KHz	65-20KHz
产品尺寸	Ø 111*60mm	Ø 105*40mm	Ø 109*65mm
开孔尺寸	Ø 75mm	Ø 89mm	Ø 95mm

5.25寸吸顶扬声器 YZ105/YZ165/YZ205




YZ105

YZ165

YZ205

喇叭单元	低音5.25x1	低音5.25"×1/蚕丝膜高音x1	低音5.25"×1/PET高音x1
阻抗	8Ω	8Ω	8Ω
额定/峰值功率	10W/20W	20W/40W	20W/40W
频响范围	100-15KHz	75-20KHz	50-20KHz
产品尺寸	Ø 175*52mm	Ø 198*81mm	Ø 198*81mm
开孔尺寸	Ø 145mm	Ø 180mm	Ø 180mm



YZ207


YZ265

YZ365

YZ465

喇叭单元	低音5.25"×1/蚕丝膜高音x1	低音5.25"×1/蚕丝膜高音x1	低音5.25"×1/蚕丝膜高音x1	低音5.25"×1/钛膜高音x1
阻抗	8Ω	8Ω	8Ω	8Ω
额定/峰值功率	30W/50W	30W/50W	30W/60W	30W/60W
频响范围	50-22KHz	65-20KHz	55-22KHz	58-22KHz
产品尺寸	Ø 207*87mm	Ø 207*87mm	Ø 188*105mm	Ø 207*87mm
开孔尺寸	Ø 180mm	Ø 180mm	Ø 170mm	Ø 180mm


6.5寸吸顶扬声器 (YZ166/YZ366/YZ466)



喇叭单元	低音6.5x1/蚕丝膜高音x1	低音6.5"x1/蚕丝膜高音x1	低音6.5"x1/钛膜高音x1
阻抗	8Ω	8Ω	8Ω
额定/峰值功率	40W/70W	20W/60W	40W/70W
频响范围	50-22KHz	50-22KHz	50-22KHz
产品尺寸	Ø 235*92mm	Ø 223*113mm	Ø 235*100mm
开孔尺寸	Ø 205mm	Ø 202mm	Ø 205mm

8寸吸顶扬声器


- 磁吸金属面罩，超薄设计，紧贴天花板，与家装更融合，便于安装拆卸。
 - HIFI级铜包铝线音圈，具有更宽广的高音频响表现。
 - 黑色蚕丝软球顶音膜，频响平坦，音色细腻柔和，富有表现力。
 - 同轴高音能补充喇叭的高音不足，克服传统高低音分离法声带来的相位失真。
- Magnetic metal face shield, ultra-thin design, closely attached to the ceiling, more integrated with home decoration, easy to install and disassemble.
HIFI grade copper clad aluminum wire voice coil with wider high-frequency response performance.
The black silk soft ball top sound film has a flat frequency response, delicate and soft tone, and is full of expressive power.
Coaxial treble can supplement the speaker's treble deficiency and overcome the phase distortion caused by traditional high and low pitch separation methods.



YZ558

2.75寸同轴方形嵌墙喇叭

- 磁吸磨砂金属面罩，CNC雕刻音孔排列科学，出音效果更佳。
 - 标准86面板规格，与联体开关面板完美搭配。
 - 全封闭机身音腔，音质更佳；接口功能自由组合。
 - 配备2只/4只/8只组建环绕立体声场，搭建家庭影院背景音乐系统。
- Magnetic matte metal mask with CNC carved sound holes arranged scientifically for better sound output.
Standard 86 panel specifications, perfectly matched with the integrated switch panel.
Fully enclosed body sound chamber for better sound quality; The interface functions can be freely combined.
Equipped with 2/4/8 surround sound fields to build a home theater background music system.




YZ112

喇叭单元	低音8"x1/钛膜高音x1
阻抗	8Ω
额定/峰值功率	40W/70W
频响范围	60-23KHz
产品尺寸	Ø 280*105mm
开孔尺寸	Ø 245mm

喇叭单元	低音2"x1/铝鼓纸高音x1
阻抗	8Ω
额定/峰值功率	10W/25W
频响范围	100-20KHz
产品尺寸	86*86*50mm
开孔尺寸	65*65mm

吸顶扬声器 (YZ217A/YZ218/YZ209)



YZ217A

YZ218

YZ209

喇叭单元	低音6.5x1/钛膜高音x1	低音6.5"x1/钛膜高音x1	低音6.5"x1/蚕丝膜高音x1
阻抗	8Ω	8Ω	8Ω
额定/峰值功率	30W/60W	30W/70W	40W/80W
频响范围	50-22KHz	50-22KHz	50-22KHz
产品尺寸	Ø 220*110mm	Ø 220*115mm	Ø 230*100mm
开孔尺寸	Ø 188mm	Ø 210mm	Ø 200mm

壁挂式分频音箱 (YZ212/YZ216)

- 高泡边+黑纸防潮，亚黑coating。
- HIFI级铜包铝线音圈，具有更宽广的高音频表现。
- 透明蚕丝软球顶音膜，频响平坦，音色细腻柔和，富有表现力。
- 外壳采用ABS塑胶材质，适用于壁挂或嵌墙安装。
- Hi-Fi level CCAW voice coil,bigger range of treble frequency response.
- Imported silk soft dome shape sound film,gentle and soft sound, low distortion and perfect sound.
- Fiber basin response is flat,easy to connect by frequency division,voice is full and clear.
- ABS Material shell,apply to in-ceiling/wall-mounted installation.



YZ212



YZ216

	YZ212	YZ216
喇叭单元	低音4"x1/蚕丝膜高音x1	低音6.5"x1/蚕丝膜高音x1
阻抗	8Ω	8Ω
额定/峰值功率	10W/50W	20W/60W
频响范围	65-23KHz	65-23KHz
产品尺寸	154*154*230mm	245*160*108mm
安装方式	壁挂/嵌墙	壁挂/嵌墙

安放于户外草坪、花园等景观隐蔽处，与环境巧妙的融为一体，为音乐爱好者提供在户外绝佳的大范围、细腻的音乐美学生活体验。高标准防水设计适合极端户外环境，逼真的仿生造型更加融入周围环境。

Placed in secluded outdoor lawns, gardens, and other scenic areas, cleverly integrated with the environment, providing music enthusiasts with an excellent large-scale and delicate music aesthetic life experience outdoors. High standard waterproof design is suitable for extreme outdoor environments, and realistic biomimetic shapes are more integrated into the surrounding environment.



YZ802卡通蘑菇音箱
Cartoon mushroom speaker

额定功率Rated power	30W
最大功率Max power	40W
灵敏度Sensitivity	98dB
频率响应Frequency Range	85Hz-16KHz
产品尺寸Size	370×395mm
安装方式Install	膨胀螺丝
声音单元Sound	3X5喇叭X2/2寸高音X2
防护等级Protection	Ip66
材料Material quality	有机玻璃
重量Weight	4.2±0.3 (KG)



YZ803卡通蘑菇音箱
Simulated stone speaker

额定功率Rated power	30W
最大功率Max power	40W
灵敏度Sensitivity	96dB
频率响应Frequency Range	85Hz-16KHz
产品尺寸Size	420×450mm
安装方式Install	膨胀螺丝
声音单元Sound	6.5"防水同轴×1
防护等级Protection	Ip45
材料Material quality	有机玻璃
重量Weight	4.5±0.3 (KG)



YZ805草地音箱
Outdoor lawn speaker

额定功率Rated power	30W
最大功率Max power	40W
灵敏度Sensitivity	91dB
频率响应Frequency Range	80Hz-19KHz
产品尺寸Size	335×385mm
安装方式Install	膨胀螺丝
声音单元Sound	6.5"防水同轴×1
防护等级Protection	Ip45
材料Material quality	有机玻璃
重量Weight	4.5±0.3 (KG)



YZ806仿真树桩音箱
Simulation stump speaker

额定功率Rated power	20W
最大功率Max power	30W
灵敏度Sensitivity	98dB
频率响应Frequency Range	85Hz-16KHz
产品尺寸Size	425×300mm
安装方式Install	膨胀螺丝
声音单元Sound	5.25"防水同轴×1
防护等级Protection	Ip44
材料Material quality	有机玻璃
重量Weight	5.5±0.5 (KG)



YZ901仿真石头音箱
Simulated stone speaker

额定功率Rated power	20W
最大功率Max power	30W
灵敏度Sensitivity	98dB
频率响应Frequency Range	85Hz-16KHz
产品尺寸Size	320x270x270mm
安装方式Install	膨胀螺丝
声音单元Sound	6.5"防水同轴×1
防护等级Protection	Ip66
材料Material quality	有机玻璃
重量Weight	5.5±0.3 (KG)



YZ902仿真石头音箱
Simulated stone speaker

额定功率Rated power	30W
最大功率Max power	35W
灵敏度Sensitivity	98dB
频率响应Frequency Range	80Hz-16KHz
产品尺寸Size	345x285x265mm
安装方式Install	膨胀螺丝
声音单元Sound	6.5"防水同轴×1
防护等级Protection	Ip44
材料Material quality	有机玻璃
重量Weight	3.5±0.2 (KG)



YZ903仿真石头音箱
Simulated stone speaker

额定功率Rated power	30W
最大功率Max power	35W
灵 敏 度Sensitivity	98dB
频率响应Frequency Range	76Hz-16KHz
产品尺寸Size	370×290×260mm
安装方式Install	膨胀螺丝
声音单元Sound	6.5"防水同轴×1
防护等级Protection	Ip66
材 料Material quality	有机玻璃
重 量Weight	4.9±0.3 (KG)



YZ905仿真石头音箱
Simulated stone speaker

额定功率Rated power	20W
最大功率Max power	30W
灵 敏 度Sensitivity	96dB
频率响应Frequency Range	85Hz-16KHz
产品尺寸Size	230×210×260mm
安装方式Install	膨胀螺丝
声音单元Sound	5.25"防水同轴×1
防护等级Protection	Ip66
材 料Material quality	有机玻璃
重 量Weight	3.5±0.2 (KG)



YZ906仿真石头音箱
Simulated stone speaker

额定功率Rated power	20W
最大功率Max power	30W
灵 敏 度Sensitivity	98dB
频率响应Frequency Range	85Hz-16KHz
产品尺寸Size	420×320×325mm
安装方式Install	膨胀螺丝
声音单元Sound	6.5"防水同轴×1
防护等级Protection	Ip44
材 料Material quality	有机玻璃
重 量Weight	5.5±0.3 (KG)



YZ910仿真石头音箱
Cartoon mushroom speaker

额定功率Rated power	80W
最大功率Max power	100W
灵 敏 度Sensitivity	105dB
频率响应Frequency Range	85Hz-16KHz
产品尺寸Size	610×345×370mm
安装方式Install	膨胀螺丝
声音单元Sound	8"低音X2 2寸高音X2
防护等级Protection	Ip44
材 料Material quality	有机玻璃
重 量Weight	15±15 (KG)



YZ911仿真熊猫音箱
Simulated Panda Speaker

额定功率Rated power	20W
最大功率Max power	30W
灵 敏 度Sensitivity	98dB
频率响应Frequency Range	85Hz-16KHz
产品尺寸Size	420×320×325mm
安装方式Install	膨胀螺丝
声音单元Sound	6.5"防水同轴×1
防护等级Protection	Ip44
材 料Material quality	有机玻璃
重 量Weight	5.5±0.3 (KG)



YZ806仿真QQ音箱
Simulation QQ speaker

额定功率Rated power	20W
最大功率Max power	30W
灵 敏 度Sensitivity	98dB
频率响应Frequency Range	85Hz-16KHz
产品尺寸Size	425×300×325mm
安装方式Install	膨胀螺丝
声音单元Sound	5.2.5"防水同轴×1
防护等级Protection	Ip44
材 料Material quality	有机玻璃
重 量Weight	4.2±0.3 (KG)



关注右转服务微信